

		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ()=STANDARD	MAGAZINE STYLE COMPATIBLE	STANDARD MAGAZINE SLEEVE	MAGAZINE CAPACITY ()=STD	INCLUDED MAGAZINE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ()=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)	
CDX-MC KRAKEN	FOLDING STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24	44.0"	35.2"	
		6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	46.0"	37.2"	
		260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	44.0"	35.2"	
		260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	46.0"	37.2"	
		6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	44.0"	35.2"	
		6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	46.0"	37.2"	
		6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	44.0"	35.2"	
		6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	46.0"	37.2"	
		308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	40.0"	31.2"	
		308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	44.0"	35.2"	
		308 Win	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	46.0"	37.2"	
		300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	44.0"	35.2"	
		300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	46.0"	37.2"	
		300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF	DSSF 3.850" CIP	5	MAG100-0020	24"	(1-8") or 1-9"	5/8"-24	44.0"	35.2"	
		300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF	DSSF 3.850" CIP	5	MAG100-0020	26"	(1-8") or 1-9"	5/8"-24	46.0"	37.2"	
		338 LAPUA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF	DSSF 3.850" CIP	(5) or 10	MAG100-0020	27"	1-9.5"	3/4"-24	47.0"	38.2"	
		338 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF	DSSF 3.850" CIP	(5) or 10	MAG100-0020	27"	1-9.5"	3/4"-24	47.0"	38.2"	
		CDX-30 GUARDIAN LITE	FOLDING STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24	43.9"
6 CREEDMOOR	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	45.9"	37.1"	
260 REM	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	35.1"	
260 REM	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	37.1"	
6.5 X 47 LAPUA	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	35.1"	
6.5 X 47 LAPUA	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	37.1"	
6.5 CREEDMOOR	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	35.1"	
6.5 CREEDMOOR	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	37.1"	
308 WIN	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.9"	31.1"	
308 WIN	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.9"	35.1"	
308 WIN	B			3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.9"	37.1"	
CDX-300 FREEDOM LITE	300 WIN MAG			C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	43.9"	35.1"
	300 WIN MAG			C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	45.9"	37.1"
CDX-33 PATRIOT LITE	300 NORMA MAG			D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	24"	(1-8") or 1-9"	5/8"-24	43.9"	35.1"
	300 NORMA MAG			D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	26"	(1-8") or 1-9"	5/8"-24	45.9"	37.1"
	338 LAPUA			D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.0"	38.1"
	338 NORMA MAG			D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.0"	38.1"

		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ()=STANDARD	MAGAZINE STYLE COMPATIBLE	STANDARD MAGAZINE SLEEVE	MAGAZINE CAPACITY ()=STD	INCLUDED MAGAZINE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ()=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)
CDX-30 GUARDIAN TAC	FIXED STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24	43.9"	DOESN'T FOLD
		6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	45.9"	DOESN'T FOLD
		260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD
		260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD
		6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD
		6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD
		308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.9"	DOESN'T FOLD
		308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.9"	DOESN'T FOLD
		308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.9"	DOESN'T FOLD
CDX-300 FREEDOM TAC		300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	43.9"	DOESN'T FOLD
		300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	45.9"	DOESN'T FOLD
CDX-33 PATRIOT TAC		300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	24"	(1-8") or 1-9"	5/8"-24	43.9"	DOESN'T FOLD
		300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	26"	(1-8") or 1-9"	5/8"-24	45.9"	DOESN'T FOLD
		338 LAPUA	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.0"	DOESN'T FOLD
		338 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.0"	DOESN'T FOLD
CDX-R7 SHEEPDOG	FIXED STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24	43.6"	DOESN'T FOLD
		6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	45.6"	DOESN'T FOLD
		260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.6"	DOESN'T FOLD
		260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.6"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.6"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.6"	DOESN'T FOLD
		6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.6"	DOESN'T FOLD
		6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.6"	DOESN'T FOLD
		308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.6"	DOESN'T FOLD
		308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.6"	DOESN'T FOLD
		308 Win	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.6"	DOESN'T FOLD
CDX-R7 SHEPHERD		300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	44.5"	DOESN'T FOLD
		300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	46.5"	DOESN'T FOLD
		300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	24"	(1-8") or 1-9"	5/8"-24	44.5"	DOESN'T FOLD
		300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	26"	(1-8") or 1-9"	5/8"-24	46.5"	DOESN'T FOLD
		338 LAPUA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.5"	DOESN'T FOLD
		338 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	47.5"	DOESN'T FOLD

		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ()=STANDARD	MAGAZINE STYLE COMPATIBLE	STANDARD MAGAZINE SLEEVE	MAGAZINE CAPACITY ()=STD	INCLUDED MAGAZINE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ()=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)
CDX-R7 FIELD COMP	FIXED STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24	43.0"	DOESN'T FOLD
		6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	45.0"	DOESN'T FOLD
		260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD
		260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD
		6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD
		6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD
		6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD
		308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.0"	DOESN'T FOLD
		308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.0"	DOESN'T FOLD
		308 Win	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.0"	DOESN'T FOLD
		300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	43.9"	DOESN'T FOLD
		300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	45.9"	DOESN'T FOLD
		300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	24"	(1-8") or 1-9"	5/8"-24	43.9"	DOESN'T FOLD
		300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	26"	(1-8") or 1-9"	5/8"-24	45.9"	DOESN'T FOLD
		338 LAPUA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	46.9"	DOESN'T FOLD
		338 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	46.9"	DOESN'T FOLD
		CDX-R7 LITE COMP	FOLDING STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-7.5"	5/8"-24
6 CREEDMOOR	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-7.5"	5/8"-24	45.1"	35.7"
260 REM	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.1"	33.7"
260 REM	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.1"	35.7"
6.5 X 47 LAPUA	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.1"	33.7"
6.5 X 47 LAPUA	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.1"	35.7"
6.5 CREEDMOOR	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-8"	5/8"-24	43.1"	33.7"
6.5 CREEDMOOR	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-8"	5/8"-24	45.1"	35.7"
308 WIN	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.1"	29.7"
308 WIN	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.1"	33.7"
308 Win	B			4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.1"	35.7"
300 WIN MAG	C			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	24"	1-10"	5/8"-24	43.9"	34.6"
300 WIN MAG	C			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.715"	5	MAG100-0001	26"	1-10"	5/8"-24	45.9"	36.6"
300 NORMA MAG	D			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	24"	(1-8") or 1-9"	5/8"-24	43.9"	34.6"
300 NORMA MAG	D			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	26"	(1-8") or 1-9"	5/8"-24	45.9"	36.6"
338 LAPUA MAG	D			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	46.9"	37.6"
338 LAPUA MAG	D			4 LUG, 50 DEG.	0, 20 or (30)	SSSF	SSSF 3.850" CIP	5	MAG100-0022	27"	1-9.5"	3/4"-24	46.9"	37.6"

		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ()=STANDARD	MAGAZINE STYLE COMPATIBLE	STANDARD MAGAZINE SLEEVE	MAGAZINE CAPACITY ()=STD	INCLUDED MAGAZINE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ()=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)
CDX-R7 C.O.P.S.	TAKE-DOWN	308 WIN	D	4 LUG, 50 DEG.	0, (20) or 30	DSSF	DSSF 3.055"	5 or (10)	MAG100-0040	16.5"	1-10"	5/8"-24	33.5"	26.74"
CDX-40 SHADOW	FOLDING STOCK	375 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	DSSF	No Sleeve	7	MAG4300	29"	1-7" or (1-10") or 1-11.5"	7/8"-24	49.9"	41.1"
		375 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	DSSF	No Sleeve	7	MAG4300	32"	1-7" or (1-10") or 1-11.5"	7/8"-24	52.9"	44.1"
		375 EnABELR	E	3 LUG, 60 DEG.	20, (40) or 60	DSSF	No Sleeve	7	MAG4300	32"	1-7"	7/8"-24	52.9"	44.1"
		408 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	DSSF	No Sleeve	7	MAG4300	29"	1-12" or (1-13")	7/8"-24	49.9"	41.1"
		408 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	DSSF	No Sleeve	7	MAG4300	32"	1-12" or (1-13")	7/8"-24	52.9"	44.1"
CDX-50 TREMOR	FOLDING STOCK	50 BMG	F	4 LUG, 50 DEG.	20 or (40)	SSSF	No Sleeve	5	MAG2949	29"	1-15"	1"-14 UNF	51.5"	42.4"
		50 BMG	F	4 LUG, 50 DEG.	20 or (40)	SSSF	No Sleeve	5	MAG2949	32"	1-15"	1"-14 UNF	54.5"	45.4"