

	2020 NEW NAMES	2020 ACTION ENGRAVING		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA (=STANDARD)	STANDARD MAGAZINE TYPE	MAGAZINE CAPACITY (=STD)	INCLUDED MAGAZINE	BARREL TYPE	RIFLING TYPE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) (=STD)	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)		CADEX PART NUMBERS
--	----------------	-----------------------	--	---------	----------------	------------	-----------------------------	------------------------	-----------------------------	-------------------	-------------	--------------	------------------------	---------------------------------------	-------------------------	--------------------------	---------------------------------	--	--------------------

CDX-MC KRAKEN	(NO CHANGE)	(NEW CDX LOGO ADDED)	FOLDING STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-6CM-24
				6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-6CM-26
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-260-24
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-260-26
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-X47-24
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-X47-26
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-6.5-24
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-6.5-26
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	44.0"	35.2"	NEW	CDXMC-KRKN-6PR-24
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	46.0"	37.2"	NEW	CDXMC-KRKN-6PR-26
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	40.0"	31.2"		CDXMC-KRKN-308-20
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	44.0"	35.2"		CDXMC-KRKN-308-24
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	46.0"	37.2"		CDXMC-KRKN-308-26
				300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	24"	1-10"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-300-24
				300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	26"	1-10"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-300-26
				300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	44.0"	35.2"	NEW	CDXMC-KRKN-3PR-24
				300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	46.0"	37.2"	NEW	CDXMC-KRKN-3PR-26
				300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF 3.850" CIP	5	MAG100-0020	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	44.0"	35.2"		CDXMC-KRKN-3NM-24
				300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF 3.850" CIP	5	MAG100-0020	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	46.0"	37.2"		CDXMC-KRKN-3NM-26
				338 LAPUA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF 3.850" CIP	(5) or 10	MAG100-0020	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	47.0"	38.2"		CDXMC-KRKN-338-27
338 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	DSSF 3.850" CIP	(5) or 10	MAG100-0020	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	47.0"	38.2"		CDXMC-KRKN-8NM-27				

CDX-30 GUARDIAN LITE	CDX-30 LITE	CDX-30 SERIES	FOLDING STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	43.8"	35.4"		CDX30-LITE-6CM-24
				6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	45.8"	37.4"		CDX30-LITE-6CM-26
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.8"	35.4"		CDX30-LITE-260-24
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.8"	37.4"		CDX30-LITE-260-26
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.8"	35.4"		CDX30-LITE-X47-24
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.8"	37.4"		CDX30-LITE-X47-26
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.8"	35.4"		CDX30-LITE-6.5-24
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.8"	37.4"		CDX30-LITE-6.5-26
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.8"	35.4"	NEW	CDX30-LITE-6PR-24
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.8"	37.4"	NEW	CDX30-LITE-6PR-26
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.8"	31.4"		CDX30-LITE-308-20
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.8"	35.4"		CDX30-LITE-308-24
308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.8"	37.4"		CDX30-LITE-308-26				

CDX-300 FREEDOM LITE	CDX-300 LITE	CDX-300 SERIES	FOLDING STOCK	300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	24"	1-10"	5/8"-24	43.8"	35.4"		CDX300-LITE-300-24
				300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	26"	1-10"	5/8"-24	45.8"	37.4"		CDX300-LITE-300-26
				300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.8"	35.4"	NEW	CDX300-LITE-3PR-24
				300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.8"	37.4"	NEW	CDX300-LITE-3PR-26

CDX-33 PATRIOT LITE	CDX-33 LITE	CDX-33 SERIES	FOLDING STOCK	300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.8"	35.4"		CDX33-LITE-3NM-24
				300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.8"	37.4"		CDX33-LITE-3NM-26
				338 LAPUA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.8"	38.4"		CDX33-LITE-338-27
				338 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.8"	38.4"		CDX33-LITE-8NM-27

2020 NEW NAMES	2020 ACTION ENGRAVING	CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA (>=STANDARD)	STANDARD MAGAZINE TYPE	MAGAZINE CAPACITY (>=STD)	INCLUDED MAGAZINE	BARREL TYPE	RIFLING TYPE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) (>=STD)	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)	CADEX PART NUMBERS			
CDX-30 GUARDIAN TAC	CDX-30 TAC	CDX-30 SERIES	FIXED STOCK	6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	43.9"	DOESN'T FOLD	CDX30-TAC-6CM-24	
				6 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	45.9"	DOESN'T FOLD	CDX30-TAC-6CM-26	
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDX30-TAC-260-24	
				260 REM	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDX30-TAC-260-26	
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDX30-TAC-X47-24	
				6.5 X 47 LAPUA	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDX30-TAC-X47-26	
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDX30-TAC-6.5-24	
				6.5 CREEDMOOR	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDX30-TAC-6.5-26	
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	NEW	CDX30-TAC-6PR-24
				6.5 PRC	C	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	NEW	CDX30-TAC-6PR-26
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.9"	DOESN'T FOLD	CDX30-TAC-308-20	
				308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.9"	DOESN'T FOLD	CDX30-TAC-308-24	
308 WIN	B	3 LUG, 60 DEG.	(20), 30 or 45	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.9"	DOESN'T FOLD	CDX30-TAC-308-26					
CDX-300 FREEDOM TAC	CDX-300 TAC	CDX-300 SERIES	FIXED STOCK	300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	24"	1-10"	5/8"-24	43.9"	DOESN'T FOLD	CDX300-TAC-300-24	
				300 WIN MAG	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	26"	1-10"	5/8"-24	45.9"	DOESN'T FOLD	CDX300-TAC-300-26	
				300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.9"	DOESN'T FOLD	NEW	CDX300-TAC-3PR-24
CDX-33 PATRIOT TAC	CDX-33 TAC	CDX-33 SERIES	FIXED STOCK	300 PRC	C	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.9"	DOESN'T FOLD	NEW	CDX300-TAC-3PR-26
				300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.9"	DOESN'T FOLD	CDX33-TAC-3NM-24	
				300 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.9"	DOESN'T FOLD	CDX33-TAC-3NM-26	
				338 LAPUA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.9"	DOESN'T FOLD	CDX33-TAC-338-27	
338 NORMA MAG	D	3 LUG, 60 DEG.	20, (30) or 45	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.9"	DOESN'T FOLD	CDX33-TAC-8NM-27					
CDX-R7 SHEEPDOG	CDX-R7 SA SHP	CDX-R7 SA SERIES	FIXED STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	43.9"	DOESN'T FOLD	CDXR7-SDOG-6CM-24	
				6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	45.9"	DOESN'T FOLD	CDXR7-SDOG-6CM-26	
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDXR7-SDOG-260-24	
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDXR7-SDOG-260-26	
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDXR7-SDOG-X47-24	
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDXR7-SDOG-X47-26	
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	CDXR7-SDOG-6.5-24	
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	CDXR7-SDOG-6.5-26	
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	43.9"	DOESN'T FOLD	NEW	CDXR7-SDOG-6PR-24
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	CADEX	BUTTON RIFLING	26"	1-8"	5/8"-24	45.9"	DOESN'T FOLD	NEW	CDXR7-SDOG-6PR-26
				308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	20"	1-11.25"	5/8"-24	39.9"	DOESN'T FOLD	CDXR7-SDOG-308-20	
				308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	24"	1-11.25"	5/8"-24	43.9"	DOESN'T FOLD	CDXR7-SDOG-308-24	
308 WIN	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	CADEX	BUTTON RIFLING	26"	1-11.25"	5/8"-24	45.9"	DOESN'T FOLD	CDXR7-SDOG-308-26					
CDX-R7 SHEPHERD	CDX-R7 LA SHP	CDX-R7 LA SERIES	FIXED STOCK	300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	CADEX	BUTTON RIFLING	24"	1-10"	5/8"-24	44.5"	DOESN'T FOLD	CDXR7-SHPD-300-24	
				300 WIN MAG	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	CADEX	BUTTON RIFLING	26"	1-10"	5/8"-24	46.5"	DOESN'T FOLD	CDXR7-SHPD-300-26	
				300 PRC	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	44.5"	DOESN'T FOLD	NEW	CDXR7-SHPD-3PR-24
				300 PRC	C	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	46.5"	DOESN'T FOLD	NEW	CDXR7-SHPD-3PR-26
				300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	44.5"	DOESN'T FOLD	CDXR7-SHPD-3NM-24	
				300 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	46.5"	DOESN'T FOLD	CDXR7-SHPD-3NM-26	
				338 LAPUA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	CADEX	BUTTON RIFLING	27"	1-9.5"	3/4"-24	47.5"	DOESN'T FOLD	CDXR7-SHPD-338-27	
338 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	CADEX	BUTTON RIFLING	27"	1-9.5"	3/4"-24	47.5"	DOESN'T FOLD	CDXR7-SHPD-8NM-27					

	2020 NEW NAMES	2020 ACTION ENGRAVING		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ( )=STANDARD	STANDARD MAGAZINE TYPE	MAGAZINE CAPACITY ( )=STD	INCLUDED MAGAZINE	BARREL TYPE	RIFLING TYPE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ( )=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. (NO MUZZLE BRAKE)		CADEX PART NUMBERS
CDX-R7 FIELD COMP	CDX-R7 SA FCP	CDX-R7 SA SERIES	FIXED STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-6CM-24
				6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-6CM-26
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-260-24
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD		CDXR7-FCP-260-26
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-X47-24
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD		CDXR7-FCP-X47-26
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-6.5-24
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD		CDXR7-FCP-6.5-26
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	43.0"	DOESN'T FOLD	NEW	CDXR7-FCP-6PR-24
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	45.0"	DOESN'T FOLD	NEW	CDXR7-FCP-6PR-26
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	39.0"	DOESN'T FOLD		CDXR7-FCP-308-20		
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	43.0"	DOESN'T FOLD		CDXR7-FCP-308-24		
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	45.0"	DOESN'T FOLD		CDXR7-FCP-308-26		
	300 WIN MAG	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	24"	1-10"	5/8"-24	43.8"	DOESN'T FOLD		CDXR7-FCP-300-24		
	300 WIN MAG	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	26"	1-10"	5/8"-24	45.8"	DOESN'T FOLD		CDXR7-FCP-300-26		
	300 PRC	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.8"	DOESN'T FOLD	NEW	CDXR7-FCP-3PR-24		
	300 PRC	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.8"	DOESN'T FOLD	NEW	CDXR7-FCP-3PR-26		
	300 NORMA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.8"	DOESN'T FOLD		CDXR7-FCP-3NM-24		
	300 NORMA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.8"	DOESN'T FOLD		CDXR7-FCP-3NM-26		
	338 LAPUA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.8"	DOESN'T FOLD		CDXR7-FCP-338-27		
338 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.8"	DOESN'T FOLD		CDXR7-FCP-8NM-27				

CDX-R7 LITE COMP	CDX-R7 SA LCP	CDX-R7 SA SERIES	FOLDING STOCK	6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-7.5"	5/8"-24	40.3"	34.5"		CDXR7-LCP-6CM-24
				6 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-7.5"	5/8"-24	42.3"	36.5"		CDXR7-LCP-6CM-26
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	40.3"	34.5"		CDXR7-LCP-260-24
				260 REM	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	42.3"	36.5"		CDXR7-LCP-260-26
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	40.3"	34.5"		CDXR7-LCP-X47-24
				6.5 X 47 LAPUA	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	42.3"	36.5"		CDXR7-LCP-X47-26
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	40.3"	34.5"		CDXR7-LCP-6.5-24
				6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	42.3"	36.5"		CDXR7-LCP-6.5-26
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	24"	1-8"	5/8"-24	40.3"	34.5"	NEW	CDXR7-LCP-6PR-24
				6.5 PRC	C	4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	7	MAG100-0008	BARTLEIN	SINGLE POINT CUT	26"	1-8"	5/8"-24	42.3"	36.5"	NEW	CDXR7-LCP-6PR-26
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	20"	1-9" or 1-10" or (1-11.25")	5/8"-24	40.3"	30.5"		CDXR7-LCP-308-20		
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	24"	1-9" or 1-10" or (1-11.25")	5/8"-24	44.3"	34.5"		CDXR7-LCP-308-24		
	308 WIN	B		4 LUG, 50 DEG.	0, (20) or 30	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	26"	1-9" or 1-10" or (1-11.25")	5/8"-24	46.3"	36.5"		CDXR7-LCP-308-26		
	300 WIN MAG	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	24"	1-10"	5/8"-24	43.9"	35.3"		CDXR7-LCP-300-24		
	300 WIN MAG	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.715"	5	MAG100-0001	BARTLEIN	SINGLE POINT CUT	26"	1-10"	5/8"-24	45.9"	37.3"		CDXR7-LCP-300-26		
	300 PRC	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.9"	35.3"	NEW	CDXR7-LCP-3PR-24		
	300 PRC	C		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.9"	37.3"	NEW	CDXR7-LCP-3PR-26		
	300 NORMA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	24"	(1-8") or 1-9"	5/8"-24	43.9"	35.3"		CDXR7-LCP-3NM-24		
	300 NORMA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	26"	(1-8") or 1-9"	5/8"-24	45.9"	37.3"		CDXR7-LCP-3NM-26		
	338 LAPUA MAG	D		4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.9"	38.3"		CDXR7-LCP-338-27		
338 NORMA MAG	D	4 LUG, 50 DEG.	0, 20 or (30)	SSSF 3.850" CIP	5	MAG100-0022	BARTLEIN	SINGLE POINT CUT	27"	1-9.5"	3/4"-24	46.9"	38.3"		CDXR7-LCP-8NM-27				

CDX-R7 C.O.P.S.	CDX-R7 SA CPS	CDX-R7 SA SERIES	TAKE-DOWN	308 WIN	B	4 LUG, 50 DEG.	20	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	16.5"	1-10"	5/8"-24	35.3"	26.8"		CDXR7-COPS-308-165
			TAKE-DOWN	6.5 CREEDMOOR	B	4 LUG, 50 DEG.	20	DSSF 3.055"	5 or (10)	MAG100-0040	BARTLEIN	SINGLE POINT CUT	16.5"	1-8"	5/8"-24	35.3"	26.8"	NEW	CDXR7-COPS-6.5-165

	2020 NEW NAMES	2020 ACTION ENGRAVING		CALIBER	BOLT BODY TYPE	BOLT STYLE	TOP RAIL MOA ()=STANDARD	STANDARD MAGAZINE TYPE	MAGAZINE CAPACITY ()=STD	INCLUDED MAGAZINE	BARREL TYPE	RIFLING TYPE	STANDARD BARREL LENGTH	BARREL RIFLING (TWIST RATE) ()=STD	STD MUZZLE THREAD PITCH	O.A.L. (NO MUZZLE BRAKE)	O.A.L. FOLDED (NO MUZZLE BRAKE)		CADEX PART NUMBERS
CDX-R7 CARBON	CDX-R7 SA CRBN	CDX-R7 SA SERIES	FIXED STOCK	6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0	DSSF 3.055"	5	MAG100-0041	PROOF	BUTTON RIFLING	24"	1-8"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-CRBN-6.5-24
				6.5 PRC	C	4 LUG, 50 DEG.	0	DSSF 3.055"	7	MAG100-0008	PROOF	BUTTON RIFLING	24"	1-8"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-CRBN-6PR-24
				308 WIN	B	4 LUG, 50 DEG.	0	DSSF 3.055"	5	MAG100-0041	PROOF	BUTTON RIFLING	24"	1-10"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-CRBN-308-24
				300 WSM	C	4 LUG, 50 DEG.	0	DSSF 3.055"	7	MAG100-0008	PROOF	BUTTON RIFLING	24"	1-10"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-CRBN-3SM-24
	CDX-R7 LA CRBN	CDX-R7 LA SERIES		7MM REM MAG	C	4 LUG, 50 DEG.	0	SSSF 3.715"	5	MAG100-0001	PROOF	BUTTON RIFLING	26"	1-9"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-CRBN-7MM-26
				28 NOSLER	C	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0023-CDX	PROOF	BUTTON RIFLING	26"	1-9"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-CRBN-28N-26
				300 WIN MAG	C	4 LUG, 50 DEG.	0	SSSF 3.715"	5	MAG100-0001	PROOF	BUTTON RIFLING	26"	1-10"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-CRBN-300-26
				300 PRC	C	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0023-CDX	PROOF	BUTTON RIFLING	26"	1-8"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-CRBN-3PR-26
				338 LAPUA MAG	D	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0022	PROOF	BUTTON RIFLING	26"	1-9.5"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-CRBN-338-26
CDX-R7 SPORTER	CDX-R7 SA SPTR	CDX-R7 SA SERIES	FIXED STOCK	6.5 CREEDMOOR	B	4 LUG, 50 DEG.	0	DSSF 3.055"	5	MAG100-0041	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-SPTR-6.5-24
				6.5 PRC	C	4 LUG, 50 DEG.	0	DSSF 3.055"	7	MAG100-0008	CADEX	BUTTON RIFLING	24"	1-8"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-SPTR-6PR-24
				308 WIN	B	4 LUG, 50 DEG.	0	DSSF 3.055"	5	MAG100-0041	BARTLEIN ONLY	SINGLE POINT CUT	24"	1-10"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-SPTR-308-24
				300 WSM	C	4 LUG, 50 DEG.	0	DSSF 3.055"	7	MAG100-0008	BARTLEIN ONLY	SINGLE POINT CUT	24"	1-10"	5/8"-24	45.3"	DOESN'T FOLD	NEW	CDXR7-SPTR-3SM-24
	CDX-R7 LA SPTR	CDX-R7 LA SERIES		7MM REM MAG	C	4 LUG, 50 DEG.	0	SSSF 3.715"	5	MAG100-0001	BARTLEIN ONLY	SINGLE POINT CUT	26"	1-9"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-SPTR-7MM-26
				28 NOSLER	C	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN ONLY	SINGLE POINT CUT	26"	1-9"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-SPTR-28N-26
				300 WIN MAG	C	4 LUG, 50 DEG.	0	SSSF 3.715"	5	MAG100-0001	BARTLEIN ONLY	SINGLE POINT CUT	26"	1-10"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-SPTR-300-26
				300 PRC	C	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0023-CDX	BARTLEIN ONLY	SINGLE POINT CUT	26"	1-8"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-SPTR-3PR-26
				338 LAPUA MAG	D	4 LUG, 50 DEG.	0	SSSF 3.850" CIP	5	MAG100-0022	CADEX	BUTTON RIFLING	26"	1-9.5"	5/8"-24	48.1"	DOESN'T FOLD	NEW	CDXR7-SPTR-338-26
CDX-40 SHADOW	CDX-40 SHDW	CDX-40 SERIES	FOLDING STOCK	375 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	No Sleeve	7	MAG4300	BARTLEIN	SINGLE POINT CUT	29"	1-7" or (1-10")	7/8"-24	49.8"	41.4"		CDX40-DUAL-375-29
				375 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	No Sleeve	7	MAG4300	BARTLEIN	SINGLE POINT CUT	32"	1-7" or (1-10")	7/8"-24	52.8"	44.4"		CDX40-DUAL-375-32
				375 EnABELR	E	3 LUG, 60 DEG.	20, (40) or 60	No Sleeve	7	MAG4309	BARTLEIN	SINGLE POINT CUT	32"	1-7"	7/8"-24	52.8"	44.4"	NEW	CDX40-DUAL-75E-32
				408 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	No Sleeve	7	MAG4300	BARTLEIN	SINGLE POINT CUT	29"	(1-12") or 1-13"	7/8"-24	49.8"	41.4"		CDX40-DUAL-375-29
				408 CHEYTAC	E	3 LUG, 60 DEG.	20, (40) or 60	No Sleeve	7	MAG4300	BARTLEIN	SINGLE POINT CUT	32"	(1-12") or 1-13"	7/8"-24	52.8"	44.4"		CDX40-DUAL-375-32
CDX-50 TREMOR	(NO CHANGE)	(NEW CDX LOGO ADDED)	FOLDING	50 BMG	F	4 LUG, 50 DEG.	20, (40) or 60	No Sleeve	5	MAG2949	BARTLEIN	SINGLE POINT CUT	29"	1-15"	1"-14 UNF	51.5"	42.4"		CDX50-DUAL-50-29
				50 BMG	F	4 LUG, 50 DEG.	20, (40) or 60	No Sleeve	5	MAG2949	BARTLEIN	SINGLE POINT CUT	32"	1-15"	1"-14 UNF	54.5"	45.4"		CDX50-DUAL-50-32